

PEOPLE ENTRANCE MANAGEMENT SYSTEM

V-PM1800M-TST3

HALF HEIGHT AUTOMATIC MOTORIZED TRIPOD TURNSTILE GATE



FEATURES

- Heavy-duty automatic motorized turnstile barrier
- Single core and bi-directional operations supported
- Half height operation with passage width of <550mm
- LED status indicator & adjustable time out delay
- Automatic reset of barrier gate after each passage
- Integration support with any RFID/Biometric Reader through NO input
- Fail safe function supported in case of emergency



LED Direction
Indicators

INGRESS
PROTECTION
RATING

IP44



100%
Duty Cycle



Delay Time



Wired
Terminal

TECHNICAL SPECIFICATIONS


V-PM1800M-TST3

Parameter	Specifications
Passage Width	Standard 550mm
Throughput Rate	35-40 persons per minute
Passage Direction	Unidirectional/ bidirectional
Indicator Light	RGB light
Drive	Electro-mechanical motorized drive
Power/Mechanism Failure	Fail safe status for either one or both directions be in free movement mode (standard) or locks in the home position
Fire Alarm Integration	Supported
Drop Arm Option	Horizontal arm drops to create passage for evacuation
Service Life	10 million operation cycles
Motor Power	50W (DC brushed)
Communication Interface	Dry contact/RS485
Operating Voltage	DC 24V
Power Supply Voltage	AC100-240V
Power Consumption	50W
Working Temperature	-20°C~+70°C
Relative Humidity	≤90% no condensation
IP Rating	IP44
Chassis Material	Cold rolled steel
Dimension Excluding Bars	600x130x980mm
Net Weight Including Bars	40 kg
Certifications	CE, FCC, ROHS

*Exact products and specifications shown may vary by geographic region and are subject to change without notice. Weights and measurements are approximate and may vary.

DIMENSIONS

Unit: mm



COLOR OPTIONS:



VANTAGE INTEGRATED SECURITY SOLUTIONS LIMITED.

B3, Bredon House 321, Tenttenhall Road Tettenhall, Wolverhampton

West Midlands, WV6 0JZ United Kingdom

Ph: +44-1902-793383, Email: sales@vantagesecurity.com

www.vantagesecurity.com

(AN ISO 9001 : 2008, ISO 14001:2004 CERTIFIED COMPANY)

