



FULL HIGH DEFINITION 2MP ANPR BULLET CAMERA

VP-NC91272B-Z3IR5NPT1

IR NIGHT VISION SMART MOTORIZED ZOOM CAMERA



vantage



FEATURES

Full High Definition 2MP (1920 x 1080) resolution

1/2.8" Progressive Scan CMOS Sensor

Inbuilt smart IR LEDs with intensity control

High performance IR Cut mechanical filter for True Day & Night vision

Inbuilt 120dB WDR, 3D DNR, HLC, BLC & ROI functions

Support triple streams

Inbuilt micro SD card slot, up to 256GB

IP67 Weather proof outdoor enclosure

www.vantagesecurity.com

ОПVIF 🖲 СЕ F© тонз

VP-NC91272B-Z3IR5NPT1

Camera	Image Sensor	1/2.8" Progressive Scan CMOS Sensor
	Signal System	PAL/NTSC
	Effective Pixels	1920 (H) × 1080 (V)
	Minimum Illumination	Color : 0.0026 lux@F1.2,AGC ON;B/W: 0 lux with IR
	Electronic Shutter Speed	1 / 25 s ~ 1 / 100000 s
	Gain Control	Auto
	White Balance	Auto
	Signal to Noise	> 52 dB
	Iris	DC Iris
Lens	Lens Type	2.8 to 12mm / 7 to 22mm Motorized Lens (optional)
	Lens Mount	Ф14
	Field of View	Horizontal: 103.4°~32.4° ; Vertical: 71°~181.5° ; Diagonal:111°~36.4°
Day/Night Functionality	Day & Night	True Day & Night with ICR
	IR Cut	High performance Mechanical IR Cut Filter with auto switch
	IR Source	Inbuilt Smart IR with intensity control
	IR Range	Up to 70 Mtr.
	Video Compression	H.265+/ H.265 / H.264+ / H.264/ MJPEG
Compression	H.264 Codec Profile	Baseline Profile/Main Profile/High Profile
	Audio Compression	G711A / U
	Video Bit Rate	64 Kbps ~ 6 Mbps
	Max. Resolution	1920× 1080
Resolution and Frame Rate		50Hz:1080P / 720P(1 ~ 25fps)
	Main Stream	60Hz:1080P/720P(1 ~ 30fps)
	Sub Stream	60Hz:720P/D1/CIF/480x240 (1~30fps) 50Hz:720P/D1/CIF/480x240 (1~25fps)
	Third Stream	50Hz:D1/CIF/480×240 (1~25fps) 60Hz:D1/CIF /480×240 (1~30fps);
	Wide Dynamic Range (WDR)	
	Defog	Supported
	BLC	Supported
	ROI	Supported
Operational Features	HLC	Supported
	DNR	Inbuilt 3D DNR (Digital Noise Reduction) circuit
	Codec Streaming Capability	Triple streaming
	Image Settings	ROI, Saturation, Brightness, Chroma, Contrast, Wide Dynamic, Sharpen, NR, Antiflicker, etc. adjustable through client software or web browse
	Alarm trigger	Motion detection; sensor alarm, SD card error; SD card full, IP address conflict, cable disconnection
	Security	Watermark, IP address filtering, video mask, heartbeat, password Protection, image distortion correction, etc.
	Protocols	UDP, IPv4, IPv6, DHCP, NTP, RTSP, RTP, RTCP, ICMP, IGMP, PPPoE, DDNS, SMTP, FTP, SNMP, HTTP, 802.1x, UPnP, HTTPs, QoS
	System Compatibility	ONVIF
Network & Remote	CMS	Full function CMS (Central monitoring software)
Monitoring	Mobile Client Application	Supports android and iOS APP for Smart phone and tablets
	Bandwidth Control	VBR (Automatic) and CBR (Manual) supported
	Network Storage	Built-in micro SD card slot; up to 256GB
Interface	Ethernet	1 RJ45 10/100 Ethernet port
	Power Input	Standard DC Jack
	Audio Input/Output	1CH/1CH
	Alarm Input/Output	1CH/1CH
	Reset Button	Supported


VP-NC91272B-Z3IR5NPT1

	Snapshot	Overview and cutout of plate for picture
LPR	Vehicle Plate Database	10,000
	Capture Speed Range	0~70km/h
Smart Features	Smart Analytics	Video blur detection, video color cast detection, scene change detection, license plate recognition
Electrical	Power Requirement	Dc12 V ± 10% , PoE (802.3af)
	Power Consumption	<11W
Environmental	Enclosure	IP 67 Weather proof outdoor enclosure
	Mounting Bracket	Integrated mounting bracket with cable management
	Operating Temperature	-30°C to + 60°C
	Operating Humidity	95% or less (non-condensing)
Mechanical	Color	White
	Dimensions	279.5 × 100.3 × 88.9mm
	Weight	Approx. 1.04KG
Certifications	Certifications	UL,CE, FCC, RoHS

*Exact products and specifications shown may vary by geographic region and are subject to change without notice. Product image, weights and measurements are approximate and may vary.

DIMENSIONS

Unit: mm



VANTAGE INTEGRATED SECURITY SOLUTIONS LIMITED

B3, Bredon House 321, Tenttenhall Road Tettenhall, Wolverhampton West Midlands, WV6 0JZ United Kingdom Ph:+44-1902793383, Email: sales@vantagesecurity.com www.vantagesecurity.com

(AN ISO 9001 : 2008, ISO14001 : 2004 CERTIFIED COMPANY)





